## **IN THE CLAIMS**:

Please amend the claims as follows. A clean copy of the amended claims is provided herein as Attachment C.

1. (Twice Amended) A process for transmitting data between a radio communication network that transmits [transmitting the] data at a specified rate and data processing means linked to the network by [access] terminal means, wherein the terminal means includes [comprising network interface radio means linked to] data adapter means [interposed between the radio means and the data processing means so as to adapt them to the network, in] through which the data flows under the control of sequencer means, said process comprising the steps of

locking the sequencer means to the rate of the network and synchronizing [with the latter] the flow of the data through the adapter means with the network.

- 2. (Twice Amended) The transmission process as claimed in claim 1, comprising controlling at least one buffer register[, for interfacing with the radio means] of the <u>data</u> adapter means in synchronism with the rate of the <u>radio communication</u> network.
- 4. (Twice amended) The transmission process as claimed in claim 1, <u>further</u> comprising

filling a buffer register with data to be sent, <u>said data</u> originating from the processing means, [and]

generating extraction pulses by the sequencer means, said extraction pulses synchronized with the rate of the network [in a central unit of the sequencer means] so as to extract the data from the buffer register,

encoding said data by the data adaptor means [adapt them by a coding] and transmiting said data [them] to [the radio means] a network interface radio means.

5. (Twice amended) The <u>transmission</u> process as claimed in claim 1, comprising

storing [the] data originating from the radio [means] <u>communication network</u> in a buffer register, [and]

generating extraction pulses by the sequencer means, said extraction pulses synchronized with the rate of the network [in a central unit of the sequencer means] so as to extract the data from the buffer register,

[adapt them by a] decoding <u>said data</u> and transmiting <u>said data</u> [them] to the processing means.

6. (Amended) A data transmission module for implementing the process of claim 1, comprising

<u>network interface</u> radio means for interfacing <u>a data processing means</u> with a radio communication network, <u>wherein said radio communication network transmits</u> [transmitting the] data at a specified rate,

data adapter means [arranged so as to be] interposed between the <u>network</u> <u>interface</u> radio means and the data processing means [and to adapt them to the network, in] <u>through</u> which [the] data flows under the control of <u>a</u> sequencer means,

wherein the sequencer means and the adapter means are grouped into a central unit comprising means for frequency-locking the sequencer means to the rate of the network.

- 7. (Amended) The transmission module as claimed in claim 6, [in which] <u>wherein</u> the frequency-locking means comprises a time base regulated by the <u>radio communication</u> network.
- 8. (Amended) The transmission module as claimed in claim 7, [in which] wherein the time base comprises frequency dividers [arranged so as to] divide the rate of the network and cyclically control data exchanges between the data adapter means and the network interface radio means.
- 9. (Amended) The transmission module as claimed in claim 8, [in which] wherein the data adapter means comprise at least one buffer register for exchanging data with the

<u>network interface</u> radio means, [which is] <u>wherein said at least one buffer register is</u> controlled by the frequency dividers.

- 10. (Amended) The transmission module as claimed in claim 8, [in which] wherein the data adapter means are connected to at least one buffer register for exchanging data with the data processing means, [which is] wherein said at least one buffer register is controlled by the frequency dividers.
- 11. (Amended) The transmission module as claimed in claim 8, [in which] <u>wherein</u> the <u>data</u> adapter means [are arranged so as to] carry out the <u>data</u> adaptation in synchronism with said <u>data</u> exchanges with the <u>network interface</u> radio means.
- 12. (Amended) The transmission module as claimed in claim 11, [in which] wherein the sequencer means [are arranged so as to] control in succession a transfer of data from the data processing means to a send path input buffer register, from the latter to the data adapter means and from the latter to the network interface radio means through a send-mode output register.
- 13. (Twice amended) The transmission module as claimed in claim 11, [in which] wherein the sequencer means [are arranged so as to] control in succession a transfer of data from the network interface radio means to a receive path input register, from the latter to the data adapter means and from the latter to the data processing means through a receive-mode output register.
- 14. (Twice amended) The transmission module as claimed in claim 6, [in which] wherein the data processing [circuits] means are incorporated into [the] said transmission module.
- 16. (Amended) The mobile terminal as claimed in claim 15, [in which] wherein the data processing means [are arranged so as to] process data exchanged with the internet network.